

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	2741	(target\$4 or aim\$3) same (barcode or "bar code"): same (scan\$4 or read\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 16:52
L3	1504	"235"/\$.ccls. and 2	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 16:50
L4	54	("20010017320" "3902048" "3947816" "4093865" "4333006" "4647143" "4652732" "4794237" "4795224" "4861973" "4960985" "5000529" "5026975" "5039184" "5073702" "5132524" "5206491" "5229588" "5286961" "5343027" "5361158" "5459308" "5475207" "5479000" "5491328" "5495097" "5557093" "5684289" "5689102" "5693930" "5705802" "5723852" "5801370" "5834708" "5837988" "5869827" "5886336" "5914481" "5917175" "6065679" "6069700" "6098885" "6117080" "6213397" "6223986" "6237852" "6290134" "6330973" "6357659" "6390370" "6536670" "6572019" "6578765" "6685092").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/27 16:47
L5	82	3 and 235/462.36.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 16:50
L6	40	(guid\$ or aim\$3) near3 (light\$4 or beam) same (barcode or "bar code") same (scan\$4 or read\$4) and 235/462.36.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 16:56
L7	172	(guid\$ or aim\$3 or align\$4) near3 (light\$4 or beam) same (barcode or "bar code") same (scan\$4 or read\$4) same (mirror or reflector) and 235/462.\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 17:00
L8	593	(wavelength or color) with (light\$4 or beam or illuminat\$3 or source) same (barcode or "bar code") same (scan\$4 or read\$4) and 235/462.\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 17:05

L9	0	(wavelength or color) with (light\$4 or beam or illuminat\$3 or source) same (barcode or "bar code") same (scan\$4 or read\$4) and 235/462.\$ccls. same (mirror or refelct\$3) near5 (spin\$4 or rotat\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 17:06
L10	16	(wavelength or color) with (light\$4 or beam or illuminat\$3 or source) same (barcode or "bar code") same (scan\$4 or read\$4) same (mirror or refelct\$3) near5 (spin\$4 or rotat\$4) and 235/462.\$ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 17:27
L11	25	(wavelength or color) with (light\$4 or beam or illuminat\$3 or source) same (barcode or "bar code") same (scan\$4 or read\$4) same (mirror or refelct\$3) with (spin\$4 or rotat\$4) and 235/462.\$ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 17:27
L12	32	(wavelength or color) with (light\$4 or beam or illuminat\$3 or source) same (barcode or "bar code") same (scan\$4 or read\$4) same (mirror or reflect\$3) with (spin\$4 or rotat\$4) and 235/462.\$ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 17:28
L14	60	patel.in. and imag\$4 with (barcode or "bar code")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 18:08
L15	13	patel.in. and imag\$4 with (barcode or "bar code") with engine	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 18:11
L16	1	"6340114".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 18:12
L17	2	"6340114".pn. "5965890".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 18:15
L18	24	symbol.as. and "imaging" near3 engine same (code or barcode)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 18:15
L19	0	symbol.as. and "imaging" near3 engine same (code or barcode) and pluf	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 18:15
L20	1	symbol.as. and "imaging" near3 engine same (code or barcode) and plug	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 18:16
L21	2	patel.in. and "imaging" near3 engine same (code or barcode) and plug	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 18:16

L22	25	(patel.in. shi.in. zhao.in. bianculi.in.) and imag\$3 near3 engine same (code or barcode) and (plug\$4 or replac\$4 or remov\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/27 18:17
S2	14	("3819938" "4251798" "4345308" "5308966" "5319182" "5561283" "5635697" "5723868" "5784102" "5814827" "6024283" "20030029917" "20030062413").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/21 09:52
S3	1	"20030133663".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/02/18 13:15
S4	1	"20030062413".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/07 08:25
S5	1	"20030226895".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/07 08:25
S6	15	("3819938" "4251798" "4345308" "5308966" "5319182" "5561283" "5635697" "5723868" "5784102" "5814827" "6024283" "20030029917" "20030062413" "20030226895").pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 08:50
S7	763	"235"/\$.cccls. and (barcode or "barcode") with (scanner or reader) with window	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 09:03
S8	1280	"235"/\$.cccls. and (barcode or "barcode") with (read\$4 or scan\$4) same module	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 09:24
S9	1115	"235"/\$.cccls. and (barcode or "barcode") with (read\$4 or scan\$4) same (engine or module) near5 (read\$4 or imag\$3 or scan\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 09:25
S10	959	"235"/\$.cccls. and (barcode or "barcode") with (read\$4 or scan\$4) same (engine or module) near3 (read\$4 or imag\$3 or scan\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 09:26
S11	199	"235"/\$.cccls. and (barcode or "barcode") with (read\$4 or scan\$4) same (engine or module) near3 (read\$4 or imag\$3 or scan\$4) same (remov\$4 or replac\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 09:40
S12	0	"235"/\$.cccls. and (barcode or "barcode") with (read\$4 or scan\$4) same (light\$3 or source or illuminat\$4 or led or diode) same (sensor) same flush	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 09:41

S13	1214	"235"/\$.ccls. and (barcode or "bar code") with (read\$4 or scan\$4) same (light\$3 or source or illuminat\$4 or led or diode) same (sensor)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 09:41
S14	118	"235"/\$.ccls. and (barcode or "bar code") with (read\$4 or scan\$4) same (light\$3 or source or illuminat\$4 or led or diode) same (sensor) and (flush)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 09:41
S15	8	(US-20030062413-\$ or US-20050001037-\$ or US-20040164165-\$ or US-20040020990-\$ or US-20050023352-\$ or US-20050023351-\$).did. or (US-5663551-\$ or US-6340114-\$). did.	US-PGPUB; USPAT	OR	ON	2005/03/14 10:31
S16	8	S15 and replac\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 10:58
S17	49	"235"/\$.ccls. and ("plug and play" or kit or swap\$5 or replac\$4 or switch\$4) with (engine or module) near3 (imaging or reading) same (barcode or "bar code") near4 (read\$4 or scan\$4)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 11:06
S18	0	"235"/\$.ccls. and knowles.in. and (symbol.as. or symboltech.as.)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 14:36
S19	300	"235"/\$.ccls. and knowles.in.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 14:36
S20	30	"235"/\$.ccls. and knowles.in. and modular\$4	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 14:46
S21	295	"235"/\$.ccls. and (module or device) with (interchang\$4 or chang\$4 or swap\$4 or (plug\$4 near3 play\$3)) same (barcode or "bar code")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 16:00
S22	1	"20010003346".pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/14 16:01
S23	2343	235/454,462.06,462.17,462.42, 462.47,472.02.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/03/20 14:20

S24	403	"235"/\$.ccls. and (code or barcode) with (read\$3 or scan\$4 or imag\$4) same (modular or "plug-and-play" or "plug and play" or removabl\$3 or insert\$4) near3 (engine or circuit\$3 or module or device or hardware or component or process\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/21 11:27
S25	919	(code or barcode) with (read\$3 or scan\$4 or imag\$4) same ("plug-and-play" or "plug and play" or interchang\$4 or replac\$4) near5 (engine or circuit\$3 or module or device or hardware or component or process\$3)	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/21 11:30
S26	166	S25 and "235"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/21 11:30
S27	879	S25 not S24	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/21 14:09
S28	126	S26 not S24	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/21 11:31
S29	14	("3819938" "4251798" "4345308" "5308966" "5319182" "5561283" "5635697" "5723868" "5784102" "5814827" "6024283" "20030029917" "20030062413"). pn.	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/21 14:10
S30	164	(barcode or "bar code") with (engine or module) same (read\$3 or scan\$4) same (removabl\$3 or swap\$5 or replac\$4 or interchang\$4 or "plug and play")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/21 14:28
S31	49	(barcode or "bar code") with (engine or module) with (read\$3 or scan\$4) with (removabl\$3 or swap\$5 or replac\$4 or interchang\$4 or "plug and play")	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/09/21 14:28

S32	54	("20010017320" "3902048" "3947816" "4093865" "4333006" "4647143" "4652732" "4794237" "4795224" "4861973" "4960985" "5000529" "5026975" "5039184" "5073702" "5132524" "5206491" "5229588" "5286961" "5343027" "5361158" "5459308" "5475207" "5479000" "5491328" "5495097" "5557093" "5684289" "5689102" "5693930" "5705802" "5723852" "5801370" "5834708" "5837988" "5869827" "5886336" "5914481" "5917175" "6065679" "6069700" "6098885" "6117080" "6213397" "6223986" "6237852" "6290134" "6330973" "6357659" "6390370" "6536670" "6572019" "6578765" "6685092").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/21 16:02
-----	----	---	------------------------------	----	----	------------------